```
ANSWER SUMMARY
L2 MNSWER 10F 32 REGISTRY
1-(4-benzoyl-1-piperazinyl)-3,3-diphenyl- 1-Propanone; 1002609-89-3 REGISTRY
L2 ANSWER 2 OF 32 REGISTRY
2-[(diphenylmethyl)sulfinyl]-1-[4-[[3-(2-fluorophenyl)-5-isoxazolyl]methyl]-1-piperazinyl]- Ethanone; 953046-48-5 REGISTRY
L2 ANSWER 3 OF 32 REGISTRY
1-[2,6-dimethyl-4-[(tetrahydro-2H-pyran-4-yl)methyl]-1-piperazinyl]-2-[(diphenylmethyl)sulfinyl]- Ethanone; 942607-46-7 REGISTRY
L2 ANSWER 4 OF 32 REGISTRY
INDEX NAME NOT YET ASSIGNED; 937898-32-3 REGISTRY
 L2 ANSWER 5 OF 32 REGISTRY
1-Piperazineacetamide: 879189-56-7 REGISTRY
L2 ANSWER 6 OF 32 REGISTRY
N-[bis(4-methylphenyl)methyl]-2,6-dimethyl-4-[(1-methyl-4-piperidinyl)methyl]- 1-Piperazinecarboxamide; 878161-89-8 REGISTRY
L2 ANSWER 7 OF 32 REGISTRY
4-[(3-chlorophenyl)(1-methyl-4-piperidinyl)methyl]-N-(diphenylmethyl)- 1-Piperazinecarboxamide; 878161-87-6 REGISTRY
L2 ANSWER 9 OF 32 REGISTRY
N-(diphenylmethyl)-4-[(1-methyl-4-piperidinyl)phenylmethyl]- 1-Piperazinecarboxamide; 878161-26-3 REGISTRY
L2 ANSWER 9 OF 32 REGISTRY
1-[(2-cyanophenyl)sulfonyl]-4-(1-oxo-3,3-diphenylpropyl)-Piperazine; 851471-34-6 REGISTRY
L2 ANSWER 10 OF 32 REGISTRY
 4-[6,6-bis(4-fluorophenyl)-1-oxohexyl]-N-[(4-methylphenyl)methyl]-1-Fiperazineethanamine; 816446-37-4 REGISTRY
L2 ANSWER 11 OF 32 REGISTRY
ethyl ester, 4-(diphenylmethyl)-1-(1-oxo-3,3-diphenylpropyl)-2-Piperazinecarboxylic acid, (25)-; 811861-81-1 REGISTRY
L2 ANSWER 12 OF 32 REGISTRY
rel- 4-[(2R,3R)-2-cyano-3-(2-methoxyphenyl)-2-methyl-3-(1-naphthalenyl)-1-oxopropyl]-N-(2-methylphenyl)-1-Piperazinecarboxamide; 796855-04-4 REGISTRY
L2 ANSWER 13 OF 32 REGISTRY
1-(2-\texttt{furanylcarbonyl})-4-(1-\texttt{oxo}-3,3-\texttt{diphenylpropyl})-\texttt{Piperazine}; \quad 710977-12-1 \ \texttt{REGISTRY}
L2 ANSWER 14 OF 32 REGISTRY
1, 1- \texttt{dimethylethyl} \quad \texttt{ester} \{4 - [2 - [4 - [6,6 - \texttt{bis}(4 - \texttt{fluorophenyl}) - 1 - \texttt{oxohexyl}] - 1 - \texttt{piperazinyl}] \\ \texttt{ethoxyl} = 2, 3, 6 - \texttt{trimethylphenyl}] - \texttt{Carbamic} \quad \texttt{acid}; \quad 667936 - 27 - 8 \quad \texttt{REGISTRY} \\ \texttt{REGISTRY} = 1, 1 - \texttt{REGISTR
L2 ANSWER 15 OF 32 REGISTRY
1-[3,5-bis(1,1-dimethylethyl)-4-methoxybenzoyl]-4-[6,6-bis(4-fluorophenyl)-1-oxobexyl]-Fiperazine; 667936-11-0 REGISTRY
L2 ANSWER 16 OF 32 REGISTRY
1-[(3-chloropheny1)phenylmethy1]-4-(1-oxo-3,3-diphenylpropy1)-Piperazine; 661453-54-9 REGISTRY
1-[(2-chloropheny1)phenylmethy1]-4-(1-oxo-3,3-diphenylpropy1)-Piperazine; \\ 661453-53-8 \ REGISTRY-1-[(2-chloropheny1)phenylmethy1]-4-(1-oxo-3,3-diphenylpropy1)-Piperazine; \\ 661453-53-8 \ REGISTRY-1-[(2-chlorophenylpropy1)phenylmethy1]-4-(1-oxo-3,3-diphenylpropy1)-Piperazine; \\ 661453-53-8 \ REGISTRY-1-[(2-chlorophenylpropy1)phenylmethy1]-4-(1-oxo-3,3-diphenylpropy1)-Piperazine; \\ 661453-53-8 \ REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-Piperazine; \\ 661453-53-8 \ REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylpropy1]-REGISTRY-1-[(2-chlorophenylpropy1)phenylp
L2 ANSWER 18 OF 32 REGISTRY
1-[[2-(difluoromethoxy)phenyl]phenylmethyl]-4-(1-oxo-3,3-diphenylpropyl)-Piperazine; 661453-30-1 REGISTRY
L2 ANSWER 19 OF 32 REGISTRY
N-[(1S)-2-[4-(cyclohexylcarbonyl)-3-methyl-1-piperazinyl]-2-oxo-1-(phenylmethyl)ethyl]-\alpha-phenyl-Benzeneacetamide; 336809-50-8 REGISTRY
L2 ANSWER 20 OF 32 REGISTRY
N-[(18)-1-[(4-benzoy1-3-methyl-1-piperazinyl)carbonyl]-2-methylpropyl]-\alpha-phenyl-Benzeneacetamide; 335380-88-6 REGISTRY
L2 ANSWER 21 OF 32 REGISTRY
(2\texttt{E}) - 2 - \texttt{butenedioate4} - (1 - \texttt{oxo-3}, 3 - \texttt{diphenylpropyl}) - \alpha - \lceil (5 - \texttt{quinolinyloxy}) \texttt{methyl} \rceil - 1 - \texttt{Piperazineethanol}; \quad 178203 - 72 - 0 \quad \texttt{REGISTRY}
L2 ANSWER 22 OF 32 REGISTRY
4-[2-[(diphenylmethyl)amino]-3-hydroxy-1-oxopropyl]-q-(2-methyl-3-pyridinyl)- 1-Piperazineacetonitrile: 150812-45-6 REGISTRY
L2 ANSWER 23 OF 32 REGISTRY
4-[(diphenylmethoxy)acetyl]-\alpha-(2-methyl-3-pyridinyl)-1-Piperazineacetonitrile; \ 149692-04-6 \ REGISTRY-1-Piperazineacetonitrile; \ 149692-04-6 \ REGISTRY-1-
L2 ANSWER 24 OF 32 REGISTRY
(S) - 4 - [2 - [(diphenylmethyl) a mino] - 3 - hydroxy - 1 - oxopropyl] - \alpha - (2 - methyl - 3 - pyridinyl) - 1 - Piperazineacetonitrile; 149691 - 98 - 5 REGISTRY - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 - 149691 -
L2 ANSWER 25 OF 32 REGISTRY
4-[[(\texttt{diphenylmethyl}) \texttt{amino}] \texttt{acetyl}] - \pmb{\alpha} - (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{Piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{Piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{Piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{Piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - 1-\texttt{piperazineacetonitrile}; \quad 149691-90-7 \;\; \texttt{REGISTRY}] + (2-\texttt{methyl} - 3-\texttt{pyridinyl}) - (2-\texttt{methyl} - 3-\texttt{pyridiny
L2 ANSWER 26 OF 32 REGISTRY
L2 ANSWER 27 OF 32 REGISTRY
1-[(1-oxido-4-pyridiny1)carbony1]-4-(1-oxo-3,3-diphenylpropy1)-Piperazine; 143817-09-8 REGISTRY
L2 ANSWER 28 OF 32 REGISTRY
1,4-bis[(diphenylmethoxy)acetyl]-Piperazine; 118273-63-5 REGISTRY
L2 ANSWER 29 OF 32 REGISTRY
1-[(diphenylmethoxy)acetyl]-4-(3-phenyl-2-propenyl)-Piperazine; 67469-56-1 REGISTRY
L2 ANSWER 30 OF 32 REGISTRY
Piperazine, 1-(1-oxo-3,3-diphenylpropyl)-4-(2-phenoxyethyl)-,monohydrochloride; 56231-25-5 REGISTRY
```

 $\label{eq:piperazine} \textit{Piperazine, 1-(1-naphthalenylmethyl)-4-(1-oxo-3,3-diphenylpropyl)-,} \\ \textit{monohydrochloride; 56231-17-5 REGISTRY 1-(1-oxo-3,3-diphenylpropyl)-,} \\ \textit{monohydrochloride; 56231-17-5 REGISTRY 1-(1-oxo-3,3-diphenylpropyl$ 

L2 ANSWER 32 OF 32 REGISTRY monohydrochloride1-benzy1-4-(3,3,3-triphenylpropiony1)-Fiperazine, 1-benzy1-4-(3,3,3-triphenylpropiony1)-; 1947-45-1 REGISTRY

L4 ANSWER 1 OF 11 CAPLUS

Preparation of 1-diphenylalkanoyl-2-(2,3- dihydroxypropyl)piperazine derivatives as agents for overcoming drug resistance in chemotherapy; 1996:391647 CAPLUS

L4 ANSWER 2 OF 11 CAPLUS

Design, Synthesis, and Structure-Activity Relationship Studies of Novel 1-[(1-Acyl-4-piperidiny1)methy1]-1H-2- methylimidazo[4,5-c]pyridine Derivatives as Potent, Orally Active Platelet-Activating Factor Antagonists; 1996:6879 CAPLUS

L4 ANSWER 3 OF 11 CAPLUS

Synthesis and structure-activity relationships of 1-acyl-4-((2-methyl-3-pyridyl)cyanomethyl)piperazines as PAF antagonists; 1994:106931 CAPLUS

 $(2-alkyl-3-pyridyl) \\ \texttt{methylpiperazine} \ \ \text{derivatives} \ \ \text{as platelet} \ \ \text{activating} \ \ \text{factor} \ \ (\text{PAF}) \ \ \text{antagonists}; \ 1993:539266 \ \ \text{CAPLUS}$ 

L4 ANSWER 5 OF 11 CAPLUS

(Pyridylcyanomethyl)piperazines as orally active PAF antagonists; 1992:612450 CAPLUS

L4 ANSWER 6 OF 11 CAPLUS

Benzhydryl compounds as herbicide antidotes; 1989:192421 CAPLUS

L4 ANSWER 7 OF 11 CAPLUS

Piperazine derivatives; 1978:509588 CAPLUS

L4 ANSWER 8 OF 11 CAPLUS

Synthesis of piperazine derivatives. XI. Preparation of N1-substituted N4-acylpiperazines; 1975:458752 CAPLUS

L4 ANSWER 9 OF 11 CAPLUS

Anthelmintic carboxylic acid piperazides; 1971:463832 CAPLUS

L4 ANSWER 10 OF 11 CAPLUS

Carboxylic piperazides with chemotherapeutic activity against Dicrocoelium dendriticum; 1965:66409 CAPLUS

L4 ANSWER 11 OF 11 CAPLUS

N-Acylpiperazines; 1964:492393 CAPLUS

=>

```
Chain nodes:
7 8 12 13 14 17
ring nodes:
1 2 3 4 5 6 15 16 20 21 22 23 24 25 26 27 28 29
chain bonds:
1 -12 4-7 7-8 12-13 12-17 13-14 14-15 14-16
ring bonds:
1 -2 1-6 2-3 3-4 4-5 5-6 15-20 15-24 16-25 16-29 20-21 21-22 22-23 23-24 25-26 26-27 27-28 28-29
exact/norm bonds:
1 -2 1-6 1-12 2-3 3-4 4-5 4-7 5-6 7-8 12-13 12-17 13-14
exact bonds:
1 -2 1-6 1-12 2-3 3-4 4-5 4-7 5-6 7-8 12-13 12-17 13-14
exact bonds:
1 -2 1-6 1-12 2-3 14-16
normalized bonds:
1 -2 1-6 1-12 14-16
normalized bonds:
1 -2 15-24 16-25 16-29 20-21 21-22 22-23 23-24 25-26 26-27 27-28 28-29
 Match level: 1:41cm 2:41cm 3:4cm 4:4cm 5:4cm 6:4cm 7:CLASS 8:CLASS 12:CLASS 13:CLASS 14:CLASS 15:4cm 16:4cm 17:CLASS 20:4cm 21:4cm 22:4cm 23:4cm 24:4cm 25:4cm 25:4cm 26:4cm 27:4ccm 29:4cm 20:4cm 20:4cm 29:4cm 20:4cm 20:4cm 20:4cm 20:4cm 20:4cm 20:4cm 20:4cm 20:4cm 20:
                STRUCTURE UPLOADED
  => s 11
SAMPLE SEARCH INITIATED 11:44:53 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 508 TO ITERATE
 100.0% PROCESSED 508 ITERATIONS SEARCH TIME: 00.00.01
                                                                                                                                                                                              32 ANSWERS
 FULL FILE PROJECTIONS: ONLINE **COMPLETE**
PROJECTED ITERATIONS: 808 TO 1512
PROJECTED ANSWERS: 301 TO 979
  L2
                                32 SEA SSS SAM L1
 => d 11
L1 HAS NO ANSWERS
L1 STR
/ Structure 1 in file .gra /
  Structure attributes must be viewed using STN Express query preparation.
  => d 12 1-32
   , L2 ANSWER 1 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
   L2 ANSWER 2 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
   , L2 ANSWER 3 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
   L2 ANSWER 4 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
    L2 ANSWER 5 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
    L2 ANSWER 6 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
   L2 ANSWER 7 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
   , L2 ANSWER 8 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
    L2 ANSWER 9 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
    L2 ANSWER 10 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
   L2 ANSWER 11 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
   , L2 ANSWER 12 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
    L2 ANSWER 13 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
```

3

L2 ANSWER 14 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN

```
L2 ANSWER 15 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
, L2 ANSWER 16 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
 , L2 ANSWER 17 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
, L2 ANSWER 18 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
 L2 ANSWER 19 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
L2 ANSWER 20 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
, L2 ANSWER 21 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
 , L2 ANSWER 22 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
 L2 ANSWER 23 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
L2 ANSWER 24 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
, L2 ANSWER 25 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
, L2 ANSWER 26 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
 L2 ANSWER 27 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
, L2 ANSWER 28 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
L2 ANSWER 29 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
L2 ANSWER 30 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
L2 ANSWER 31 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
 L2 ANSWER 32 OF 32 REGISTRY COPYRIGHT 2008 ACS on STN
=> s 12
L3
           21 L2
=> s 13 and py<=1998
19239813 PY<=1998
            11 L3 AND PY<=1998
L4
=> d 14 1-11 ibib fhitstr
L4 ANSWER 1 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
L4 ANSWER 2 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
L4 ANSWER 3 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
L4 ANSWER 4 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
L4 ANSWER 5 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
L4 ANSWER 6 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
, L4 ANSWER 7 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
L4 ANSWER 8 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
. L4 ANSWER 9 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
L4 ANSWER 10 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
L4 ANSWER 11 OF 11 CAPLUS COPYRIGHT 2008 ACS on STN
=> exit ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF LOGOFF? (Y)/N/HOLD:y
STN INTERNATIONAL LOGOFF AT 11:53:01 ON 27 FEB 2008
```